




# Complete building envelope system products

## Knowledge & support

### German technology, proven in New Zealand



Your local support

04 589 8460 | 09 892 9900 | 03 327 4925

Technical: support@proclima.co.nz | General: welcome@proclima.co.nz

www.proclima.co.nz



# Class 1

## Building Product Information Sheet

Product name (include the brand name):

pro clima GLUMEX

Product description and its intended use (measurements, materials, usage):

GLUMEX is an adhesive removing liquid. GLUMEX is made from natural solvents and oils, it dissolves adhesive residues from adhesive tapes and acrylate copolymers.

Key Features:

- Adhesive-removing solution made from natural solvents and oils
- Removes adhesive residues left behind by adhesive tapes and acrylate copolymers
- Highly effective within minutes

Product identifier (if applicable):

4026639017185

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture:  Aotearoa New Zealand  Overseas

Legal and trading name of the manufacturer(s):

MOLL bauökologische Produkte GmbH

Address for service:

STREET NAME Rheintalstraße 35 - 43

SUBURB

CITY, COUNTRY Schwetzingen, GERMANY

POSTCODE 68723

Website:

<http://www.proclima.com>

Email address:

[info@proclima.com](mailto:info@proclima.com)

Phone no. (if applicable):

+49 (0) 6202 2782-0

NZBN (if applicable):

N/A

Legal and trading name of the importer (if applicable):

Pro Clima (NZ) Ltd

Address for service:

STREET NAME Level 1, 47 The Esplanade

SUBURB Petone

CITY, COUNTRY Lower Hutt, New Zealand

POSTCODE 5012

Website:

www.proclima.co.nz

Email address:

welcome@proclima.co.nz

Phone no. (if applicable):

04 589 8460

NZBN (if applicable):

9429033909561

Relevant Building Code clauses:

- F2 HAZARDOUS BUILDING MATERIALS: Performance clause F2.3.1.

Statement on how the building product is expected to contribute to compliance:

- F2.3.1: GLUMEX is made from natural solvents and oils so does not emit harmful concentrations when exposed or in the atmosphere of any space, so contributes to meeting this requirement.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

- Only to be used for dissolving adhesive residues from adhesive tapes and acrylate copolymers.

Design requirements that would support the appropriate use of the building product:

- It is recommended to test the compatibility of GLUMEX with the surface to be treated on a non-visible area of the surface.

Installation requirements *(also provide link to the product installation guide)*:

Apply pro clima GLUMEX to the surface to be cleaned with a soft cloth and gently rub it in. After just a few minutes, the contaminant can be seen coming away from the surface. The contaminant can then be rubbed off using a rough material (e.g. steel wool or a brush). If any residues remain, this process can be repeated.

It is recommended to test the compatibility of GLUMEX with the surface to be treated on a non-visible area of the surface.

**Maintenance requirements** *(also provide link to the product maintenance guide):*

There are no specific maintenance requirements. The product is covered or protected by the subsequent layers of the building assembly and is inaccessible while in service.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes  No

If yes, description of the warning or ban under section 26:

N/A

Version:

1

Date:

0 | 5 | 1 | 1 | 2 | 3